

Benkenstrasse 254 4108 Witterswil Switzerland +41 61 725 20 70 mailbox@biolytix.ch www.biolytix.ch

## Analysis Report

Marry Jane AG Mr. Gerard Malpesa Passwangstrasse 20 4226 Breitenbach

Witterswil, 10. January 2022

bx no.:

Date of order:

Date of sample receipt:

Specification: Sample ID: bx268367-2427306

22. December 202122. December 2021

BABUSCHKA KUSH IT-128 STS 0408

\_\_SWISS \_\_TESTING \_\_LABS Association of Swiss Laboratories Verband Schweizer Laboratorien Association des Laboratories Suisse Associazione dei Laboratori Sylzzeri



## Results

Total Δ9-THC	5'751 (0.575%)	[mg/kg]	external analysis by accredited partner laboratory
Δ9-ΤΗС	1'410 (0.141%)	[mg/kg]	external analysis by accredited partner laboratory
Δ9-ΤΗCΑ	4'950 (0.495%)	[mg/kg]	external analysis by accredited partner laboratory
Nicotine	n.d.	[mg/kg]	external analysis by accredited partner laboratory

## n.d. = not detectable

Limit of detection for THC by means of HPLC-MS/MS: 50mg/kg (corresponds to 0.005%) Limit of detection for Nicotine by means of GC-MS or HPLC-MS/MS: 1mg/kg (corresponds to 0.0001%)

This report was released electronically by Adrian Härri, CEO, and is valid without signature.

Hint: Analytical methods marked with (\*) are not in the scope of accreditation of Biolytix AG (ISO/IEC 17025). This report may not be copied in extracts without a written consent from Biolytix AG. Details about the method or uncertainty of measurement can be requested from Biolytix AG.

Disclaimer: The above result refers to the analysed sample only. The work at Biolytix AG is performed with utmost care and in accordance with the latest scientific knowledge and methodologies available. Hence, Biolytix AG does not accept any claims for direct or indirect damages that may arise as a result of the services rendered.